

EDOXIONARY
FOR WATCH PROFESSIONALS
2015 - 2016



Maître Horloger - Les Genevez
depuis 1884

REFERENCE	COLLECTION	NAME	PAGE
01114 3	BUIN	Chronoffshore-1 Automatic	23
01114 3	NIN	Chronoffshore-1 Automatic	23
01114 37N	NRO	Chronoffshore-1 Automatic	22
01114 37N	NV	Chronoffshore-1 Automatic	22
01114 3M	BUIN	Chronoffshore-1 Automatic	23
01114 3M	NIN	Chronoffshore-1 Automatic	23
01115 37N	NRO	Chronoffshore-1 Automatic	22
01115 37N	NV	Chronoffshore-1 Automatic	22
01118 3	NO	Chronorally 1 Chronograph Automatic	48
01118 37NR	NRO	Chronorally 1 Chronograph Automatic	48
01120 3	AIN	Les Bémonts Chronograph Automatic	89
01120 3	BUIN	Les Bémonts Chronograph Automatic	89
01120 3	GIN	Les Bémonts Chronograph Automatic	89
01120 37R	AIR	Les Bémonts Chronograph Automatic	88
01120 37R	GIR	Les Bémonts Chronograph Automatic	88
01120 37RM	AIR	Les Bémonts Chronograph Automatic	88
01120 37RM	GIR	Les Bémonts Chronograph Automatic	88
01120 3M	AIN	Les Bémonts Chronograph Automatic	89
01120 3M	BUIN	Les Bémonts Chronograph Automatic	89
01120 3M	GIN	Les Bémonts Chronograph Automatic	89
01121 357B	BUIN	Grand Ocean Chronograph Automatic	11
01121 357N	NIN	Grand Ocean Chronograph Automatic	11
01121 357RN	GIR	Grand Ocean Chronograph Automatic	11
07002 3	C1	Geoscope	63
10020 3	BUIN3	Chronoffshore-1	27
10020 3	NBU	Chronoffshore-1 Big Date	26
10020 3	NIN	Chronoffshore-1 Big Date	26
10020 3	NIN3	Chronoffshore-1	27
10020 37R	NIR	Chronoffshore-1 Big Date	26
10020 37RBU	BIR	Chronoffshore-1 10th Anniversary Limited Edition	20
10020 3M	NBU	Chronoffshore-1 Big Date	26
10020 3M	NIN	Chronoffshore-1 Big Date	26
10107 37RNC	GIR	Delfin Chronograph	58
10107 37RNCA	GIR	Delfin Chronograph	58
10107 3C	AIN	Delfin Chronograph	58
10107 3C	NIN	Delfin Chronograph	58
10107 3CA	AIN	Delfin Chronograph	58
10107 3CA	NIN	Delfin Chronograph	58

REFERENCE	COLLECTION	NAME	PAGE
10108 3	AIN	Delfin Chronograph	57
10108 3	BUIN	Delfin Chronograph	56
10108 3	NIN	Delfin Chronograph	57
10108 357J	AID	Delfin Chronograph	57
10108 37GR	GIR	Delfin Chronograph	56
10108 3BU	AIN	Delfin Chronograph	56
10220 357RC	AIR	LaPassion Chronograph	72
10220 357RC	AR	LaPassion Chronograph	72
10220 357RC	NIR	LaPassion Chronograph	72
10220 357RM	AIR	LaPassion Chronograph	72
10220 357RM	AR	LaPassion Chronograph	72
10220 357RM	NIR	LaPassion Chronograph	72
10220 37RC	AIR	LaPassion Chronograph	74
10220 37RC	AR	LaPassion Chronograph	74
10220 37RC	BRIR	LaPassion Chronograph	74
10220 37RC	NIR	LaPassion Chronograph	75
10220 37RC	ROUIR	LaPassion Chronograph	75
10220 37RM	AIR	LaPassion Chronograph	74
10220 37RM	AR	LaPassion Chronograph	74
10220 37RM	BRIR	LaPassion Chronograph	74
10220 37RM	NIR	LaPassion Chronograph	75
10220 3C	AIN	LaPassion Chronograph	76
10220 3C	AR	LaPassion Chronograph	76
10220 3C	BUIN	LaPassion Chronograph	76
10220 3C	NIN	LaPassion Chronograph	77
10220 3C	ROIN	LaPassion Chronograph	77
10220 3M	AIN	LaPassion Chronograph	76
10220 3M	AR	LaPassion Chronograph	76
10220 3M	BUIN	LaPassion Chronograph	76
10220 3M	NIN	LaPassion Chronograph	77
10220 3M	ROIN	LaPassion Chronograph	77
10302 3	AIN	Chronorally Chronorally	44
10302 3	BUIN	Chronorally Chronorally	45
10302 3	GIN	Chronorally Chronorally	45
10302 3	NIN2	Chronorally Chronorally	44
10302 3	ROIN	Chronorally Chronorally	45
10302 37N	BUIN	Chronorally Chronorally	45
10302 37N	GIN	Chronorally Chronorally	45
10302 37N	NIN	Chronorally Chronorally	44
10302 37N	ROIN	Chronorally Chronorally	45
10302 3M	AIN	Chronorally Chronorally	42
10302 3M	BUIN	Chronorally Chronorally	42
10302 3M	GIN	Chronorally Chronorally	42
10302 3M	NIN2	Chronorally Chronorally	42
10302 3MV	GIN	Chronorally Chronorally	42
10302 3V	GIN	Chronorally Chronorally	44
10305 37N	NN	Chronorally 1 Chronorally	51
10305 3NR	AN	Chronorally 1 Chronorally	50
10305 3NR	NR	Chronorally 1 Chronorally	51
10305 3NRM	AN	Chronorally 1 Chronorally	50
10305 3NRM	NR	Chronorally 1 Chronorally	51
10305 3NV	NV	Chronorally 1 Chronorally	51
10305 3NVM	NV	Chronorally 1 Chronorally	51
10411 37N	NANN	Chronoffshore-1 Chronolady	28
10411 37NR120D	NANN	Chronoffshore-1 Chronolady	28
10411 37RB	NAIR	Chronoffshore-1 Chronolady	28
10411 3B	NAIN	Chronoffshore-1 Chronolady	28
10411 3BC	NAIN	Chronoffshore-1 Chronolady	29

REFERENCE	COLLECTION	NAME	PAGE
38001 TIN	AIN	Chronorally Chronorally	41
38001 TIN	NIN	Chronorally Chronorally	41
53005 37GRM	GIR	Delfin The Original	59
53005 3BUM	AIN	Delfin The Original	59
53005 3M	AIN	Delfin The Original	59
53005 3M	BUIN	Delfin The Original	59
53005 3M	NIN	Delfin The Original	59
53200 3NGCA	GIN	Hydro-Sub 3-Hands	36
53200 3NGM	GIN	Hydro-Sub 3-Hands	36
53200 3NRCA	NIN	Hydro-Sub 3-Hands	37
53200 3NRM	NIN	Hydro-Sub 3-Hands	37
53200 3NVCA	NIN	Hydro-Sub 3-Hands	37
53200 3NVM	NIN	Hydro-Sub 3-Hands	37
53200 30CA	NIN	Hydro-Sub 3-Hands	36
53200 30M	NIN	Hydro-Sub 3-Hands	36
54004 37GRM	GIR	Delfin 3-Hands	61
54004 3BUM	AIN	Delfin 3-Hands	61
54004 3M	AIN	Delfin 3-Hands	60
54004 3M	BUIN	Delfin 3-Hands	60
54004 3M	NAIN	Delfin 3-Hands	60
54004 3M	NANN	Delfin 3-Hands	60
54004 3M	NIN	Delfin 3-Hands	60
56001 3	AIN	Les Bémonts Les Bémonts	106
56001 3	GIN	Les Bémonts Les Bémonts	106
56001 3	NAIN	Les Bémonts Les Bémonts	106
56001 37R	AIR	Les Bémonts Les Bémonts	102
56001 37R	GIR	Les Bémonts Les Bémonts	102
56001 37R	NAIR	Les Bémonts Les Bémonts	102
56001 37R	ROIR	Les Bémonts Les Bémonts	103
56001 37RM	AIR	Les Bémonts Day Date	100
56001 37RM	GIR	Les Bémonts Day Date	100
56001 37RM	NAIR	Les Bémonts Day Date	100
56001 37RM	ROIR	Les Bémonts Day Date	101
56001 3M	AIN	Les Bémonts Day Date	104
56001 3M	GIN	Les Bémonts Day Date	104
56001 3M	NAIN	Les Bémonts Day Date	104
57001 3	AIN	Les Bémonts Les Bémonts	106
57001 3	GIN	Les Bémonts Les Bémonts	106
57001 3	NAIN	Les Bémonts Les Bémonts	106
57001 37R	AIR	Les Bémonts Les Bémonts	102
57001 37R	GIR	Les Bémonts Les Bémonts	102
57001 37R	NAIR	Les Bémonts Les Bémonts	102
57001 37R	ROIR	Les Bémonts Les Bémonts	103
57001 37RM	AIR	Les Bémonts Day Date	100
57001 37RM	GIR	Les Bémonts Day Date	100
57001 37RM	NAIR	Les Bémonts Day Date	100
57001 37RM	ROIR	Les Bémonts Day Date	101
57001 3M	AIN	Les Bémonts Day Date	104
57001 3M	GIN	Les Bémonts Day Date	104
57001 3M	NAIN	Les Bémonts Day Date	104

REFERENCE	COLLECTION	NAME	PAGE
57002 357RC AIR	LaPassion	2-Hands	78
57002 357RC AR	LaPassion	2-Hands	78
57002 357RC NIR	LaPassion	2-Hands	78
57002 357RM AIR	LaPassion	2-Hands	78
57002 357RM AR	LaPassion	2-Hands	78
57002 357RM NIR	LaPassion	2-Hands	78
57002 37RC AIR	LaPassion	2-Hands	80
57002 37RC AR	LaPassion	2-Hands	80
57002 37RC BRIR	LaPassion	2-Hands	80
57002 37RC NIR	LaPassion	2-Hands	81
57002 37RC ROUIR	LaPassion	2-Hands	81
57002 37RM AIR	LaPassion	2-Hands	80
57002 37RM AR	LaPassion	2-Hands	80
57002 37RM BRIR	LaPassion	2-Hands	80
57002 37RM NIR	LaPassion	2-Hands	81
57002 3C AIN	LaPassion	2-Hands	82
57002 3C AR	LaPassion	2-Hands	82
57002 3C BUIN	LaPassion	2-Hands	82
57002 3C NIN	LaPassion	2-Hands	83
57002 3C ROIN	LaPassion	2-Hands	83
57002 3M AIN	LaPassion	2-Hands	82
57002 3M AR	LaPassion	2-Hands	82
57002 3M BUIN	LaPassion	2-Hands	82
57002 3M NIN	LaPassion	2-Hands	83
57002 3M ROIN	LaPassion	2-Hands	83
64012 3 AIN	Les Bémonts	Big Date	99
64012 3 NIN	Les Bémonts	Big Date	99
64012 37R AIR	Les Bémonts	Big Date	98
64012 37R NIR	Les Bémonts	Big Date	98
64012 37R ROIR	Les Bémonts	Big Date	98
64012 37RM AIR	Les Bémonts	Day Date	98
64012 37RM NIR	Les Bémonts	Day Date	98
64012 37RM ROIR	Les Bémonts	Day Date	98
64012 3M AIN	Les Bémonts	Day Date	99
64012 3M NIN	Les Bémonts	Day Date	99
80077 3 ABN	Grand Ocean	Chronometer	13
80077 3 NBN	Grand Ocean	Chronometer	13
80088 37N NRO2	Chronoffshore-1	Offshore-1 Professional	25
80088 37N NV2	Chronoffshore-1	Offshore-1 Professional	25
80094 3 NN	Chronorally 1	Automatic	48
80094 3N NV	Chronorally 1	Automatic	48
80301 3NBU NBU	Hydro-Sub	Hydro-Sub 50th Anniversary Limited Edition	32
80301 3NCA BUIN	Hydro-Sub	Hydro-Sub Automatic	35
80301 3NM BUIN	Hydro-Sub	Hydro-Sub Automatic	35
80301 3NOCA NIN	Hydro-Sub	Hydro-Sub Automatic	35
80301 3NOM NIN	Hydro-Sub	Hydro-Sub Automatic	35
83006 3 AIN	Grand Ocean	Day Date Automatic	13
83006 3 NIN	Grand Ocean	Day Date Automatic	13

REFERENCE	COLLECTION	NAME	PAGE
83015 3 BIN	Les Bémonts	Day Date	93
83015 3 BUIN	Les Bémonts	Day Date	93
83015 3 NIN	Les Bémonts	Day Date	93
83015 37R BIR	Les Bémonts	Day Date	92
83015 37R BUIR	Les Bémonts	Day Date	92
83015 37R NIR	Les Bémonts	Day Date	92
83015 37RM BIR	Les Bémonts	Day Date	92
83015 37RM BUIR	Les Bémonts	Day Date	92
83015 37RM NIR	Les Bémonts	Day Date	92
83015 3M BIN	Les Bémonts	Day Date	93
83015 3M BUIN	Les Bémonts	Day Date	93
83015 3M NIN	Les Bémonts	Day Date	93
85008 3 AIN	Grand Ocean	Open Heart Automatic	14
85008 3 NIN	Grand Ocean	Open Heart Automatic	14
85008 357B BUIN	Grand Ocean	Open Heart Automatic	14
85012 3 AIN	Grand Ocean	Open Vision Automatic	16
85012 357J AID	Grand Ocean	Open Vision Automatic	16
85012 357JN NID	Grand Ocean	Open Vision Automatic	16
85012 357N NIN	Grand Ocean	Open Vision Automatic	16
85013 3 AIN	Grand Ocean	Open Vision Automatic	15
85013 3 NIN	Grand Ocean	Open Vision Automatic	15
85013 357J AID	Grand Ocean	Open Vision Automatic	15
85014 3 AIN	Les Vauberts	Open Heart Automatic	110
85014 3 NIN	Les Vauberts	Open Heart Automatic	110
85014 37R AIR	Les Vauberts	Open Heart Automatic	110
85014 37R GIR	Les Vauberts	Open Heart Automatic	110
85019 37RA AIR	Les Vauberts	Open Heart	111
85019 37RA NADR	Les Vauberts	Open Heart	111
85019 37RG GIR	Les Vauberts	Open Heart	111
85019 3A AIN	Les Vauberts	Open Heart	111
85019 3A NADN	Les Vauberts	Open Heart	111
85019 3N NIN	Les Vauberts	Open Heart	111
85021 3 AIN	Les Bémonts	Open Heart	95
85021 3 BUIN	Les Bémonts	Open Heart	95
85021 3 NIN	Les Bémonts	Open Heart	95
85021 37R AIR	Les Bémonts	Open Heart	94
85021 37R BUIR	Les Bémonts	Open Heart	94
85021 37R NIR	Les Bémonts	Open Heart	94
85021 37RM AIR	Les Bémonts	Open Heart	94
85021 37RM BUIR	Les Bémonts	Open Heart	94
85021 37RM NIR	Les Bémonts	Open Heart	94
85021 3M AIN	Les Bémonts	Open Heart	95
85021 3M BUIN	Les Bémonts	Open Heart	95
85021 3M NIN	Les Bémonts	Open Heart	95
85024 37GRM GIR	Delfin	Delfin Open Heart	54
85024 3BUM AIN	Delfin	Delfin Open Heart	54
85024 3M AIN	Delfin	Delfin Open Heart	54
85024 3M BUIN	Delfin	Delfin Open Heart	54
85024 3M NIN	Delfin	Delfin Open Heart	54

REFERENCE	COLLECTION	NAME	PAGE
85025 357RC AIR	LaPassion	Open Heart	66
85025 357RC ARR	LaPassion	Open Heart	66
85025 357RC NIR	LaPassion	Open Heart	67
85025 357RM AIR	LaPassion	Open Heart	66
85025 357RM ARR	LaPassion	Open Heart	66
85025 357RM NIR	LaPassion	Open Heart	67
85025 37RC AIR	LaPassion	Open Heart	68
85025 37RC ARR	LaPassion	Open Heart	68
85025 37RC BRIR	LaPassion	Open Heart	68
85025 37RC NIR	LaPassion	Open Heart	69
85025 37RC ROUIR	LaPassion	Open Heart	69
85025 37RM AIR	LaPassion	Open Heart	68
85025 37RM ARR	LaPassion	Open Heart	68
85025 37RM BRIR	LaPassion	Open Heart	68
85025 37RM NIR	LaPassion	Open Heart	69
85025 3C AIN	LaPassion	Open Heart	70
85025 3C ARN	LaPassion	Open Heart	70
85025 3C BUIN	LaPassion	Open Heart	70
85025 3C NIN	LaPassion	Open Heart	71
85025 3C ROIN	LaPassion	Open Heart	71
85025 3M AIN	LaPassion	Open Heart	70
85025 3M ARN	LaPassion	Open Heart	70
85025 3M BUIN	LaPassion	Open Heart	70
85025 3M NIN	LaPassion	Open Heart	71
85025 3M ROIN	LaPassion	Open Heart	71
95005 3 AIR	Les Bémonts	Les Bémonts C. R.-F. Limited Edition	86

EDOXIONARY
FOR WATCH PROFESSIONALS
2015 - 2016



Maître Horloger - Les Genevez
depuis 1884

TIMING FOR CHAMPIONS



Maître Horloger - Les Genevez
depuis 1884

EDOX HISTORY



CHRISTIAN RUEFLI-FLURY

FOUNDER OF EDOX

- 1860 Born in Courrendlin (Switzerland), son of a foundry master. Educated in Courrendlin.
- 1870 Moved to Grenchen (Switzerland). Commenced horology apprenticeship with Urs Schild, one of the great Master Watchmakers, before joining the Eterna watch company.
- 1883 Married Pauline Flury. Worked for Jean Ægler - watchmaker in Biel/Bienne until 1883.
- 1884 Founded his own watchmaking atelier in Biel/Bienne. Principal founder of the Lake Biel-Bienne Steam Boat Company and originator of the Evilard funicular and the Wildermeth Hospital in Biel/Bienne. Made numerous significant donations to regional hospitals and to children's nurseries in Biel/Bienne and gave monetary support to retirement homes and sanatoriums for the hard of hearing.



1884

IT ALL BEGAN WITH A TRUE LOVE STORY

Christian Ruefli-Flury, a highly talented and romantic watchmaker "Maître-Horloger" from Grenchen in Switzerland, produces a pocket watch for the 25th birthday of his beloved wife Pauline. Impressed by this exquisite gift, she convinces her husband to set up his own watch making company in Biel, a city famous for its well-educated watch engineers. Christian Ruefli-Flury called his company "Edox" which means "measuring of time" in ancient Greek.



1900

THE BIRTH OF A LOGO

The hourglass was officially used as a timeless symbol of Edox and since then, it has been a proud part of the official Edox company logo.



1955

A GROWING COMPANY

At that time, Edox employed up to 500 watchmakers and the company moved into new, modern and larger production facilities. Edox was amongst Switzerland's leading watch companies.



1961
THE WATER CHAMPION

The famous “Delfin” timepiece was launched, featuring a double caseback, special protective gaskets and a specially invented double O’ring system, setting new standards of shock protection and water resistance.



1965
HYDRO SUB

The revolutionary Hydro-Sub collection was launched, featuring the famous double O’crown patented Edox gasket for increased water resistance.




1970
THE FIRST GENUINE
WORLD TIME WATCH

This year saw the introduction of the world’s first truly global timepiece, the “Geoscope” watch. Covering all time zones, the watch provided timekeeping for almost 50 different cities around the world, as well as local time.



1998
WORLD RECORD STILL
UNBROKEN

Edox engineers and watchmakers developed the world’s slimmest calendar watch, the “Les Bémonts Ultra Slim” collection. The movement had a thickness of only 1.4 mm, which is a technical record still held by Edox to this day.



2008

CLASS-1 TIMEKEEPING

Edox is the official timekeeper of the Class-1 World Powerboat Championship and is the first watch manufacturer timing partner of high-class offshore races. The Class-1 timepiece collection is a true statement of the performance and a technical rendering of both philosophies.



2010

THE TIMEKEEPER

Edox becomes the official WRC timekeeper and launches a new collection dedicated to rally drivers, true virtuosos of the tarmac, snow and ice, and to all devotees of the automobile and motor-racing world.




2013

THE REVIVAL OF AN ICON

Edox celebrates the revival of an icon with the launch of the new Delfin collection, an emblematic collection which was first launched in the 70's.

GRAND OCEAN COLLECTION HIGHLIGHTS

Grand Ocean collection is intrinsically linked to yachting and water world. It is also the emblematic watch of the Extreme Sailing Series™ championship, a stadium racing format involving Extreme 40 catamarans. These races are taking place from January to December on all seas of the globe.



YACHTING

Grand Ocean collection details are linked to the yachting world and all details tell the same story.

The case back is beautifully engraved with the map of the world, like an old sailor's map. The porthole aperture allows a view on the beating movement of the sumptuous mechanism.



Small details count:

The hands design remind of a compass needle. The use of the compass was already recorded during the 11th century. The compass is used for navigation and orientation that shows direction relative to the geographic cardinal directions, or "points".

Also, the Grand Ocean dial features a diagram called the compass rose, which is also used for navigation purposes, using the 4 directions, north, south, east and west.



Compass and compass rose are still intensively used by sailors on seas.

GRAND OCEAN

SPIRIT OF THE OCEAN





GRAND OCEAN SPIRIT OF THE OCEAN

-
-
-
-
-
-
-
-
-
-



CHRONOGRAPH AUTOMATIC
01121 357N NIN Ø 48 MM
Feature water resistant leather strap

-
-
-
-
-
-
-
-
-
-



CHRONOGRAPH AUTOMATIC
01121 357RN GIR Ø 48 MM

-
-
-
-
-
-
-
-
-
-



CHRONOGRAPH AUTOMATIC
01121 357B BUIN Ø 48 MM
Feature water resistant leather strap



Grand Ocean casebacks feature porthole aperture allowing the view on the beating movement of the timepiece.















CHRONOMETER
 80077 3 NBN Ø 45 MM
 Certified Chronometer (COSC)













CHRONOMETER
 80077 3 ABN Ø 45 MM
 Certified Chronometer (COSC)













DAY DATE AUTOMATIC
 83006 3 NIN Ø 45 MM













DAY DATE AUTOMATIC
 83006 3 AIN Ø 45 MM



OPEN VISION AUTOMATIC
85012 357N NIN Ø 33 MM



OPEN VISION AUTOMATIC
85012 357J AID Ø 33 MM



OPEN VISION AUTOMATIC
85012 357JN NID Ø 33 MM



OPEN VISION AUTOMATIC
85012 3 AIN Ø 33 MM





CHRONOFFSHORE-1 COLLECTION HIGHLIGHTS

Offshore pilots are real heroes of extreme water races.

They have to keep their nerves under all circumstances, have perfect timing reaction and ensure the perfect race and aim for the title. The speed sometimes reaches a breathtaking 270km/h. What pilots often say is "What you see in front of you is already history".



CONSTRUCTION PROCESS

Chronoffshore-1 timepieces benefit of special material and construction process with thicker sapphire crystal, solid case construction using resistant stainless steel.



HELIUM VALVE

An helium valve is used where the air is enriched with helium in order to ease breathing. Edox helium escape valves open and close automatically.



CERAMIC BEZEL

The ceramic material used for the Chronoffshore-1 bezel is a non-metallic mineral material and is mixed with different other substances. The ceramic is two times harder than steel and is super resistant to scratches.

CHRONOFFSHORE-1

OFFSHORE INSTRUMENTS



CHRONOFFSHORE-1 OFFSHORE INSTRUMENTS



25mm

13mm

151g

CHRONOFFSHORE-1
10TH ANNIVERSARY LIMITED EDITION **NEW**
10020 37RBU BIR Ø 45 MM
LIMITED EDITION OF 215 PIECES WORLDWIDE



10TH ANNIVERSARY OF CHRONOFFSHORE-1 INSTRUMENT COLLECTION



Pal Virik Nilsen, Norway, Powerboat Pilot



Chronoffshore-1 casebacks reinforce the robust aspect of the case with its thickness, solid material. Also, the propeller is a true statement as the Chronoffshore-1 collection stands for offshore speed boat races.



CHRONOFFSHORE-1 AUTOMATIC
01115 37N NRO Ø 45 MM



CHRONOFFSHORE-1 AUTOMATIC
01115 37N NV Ø 45 MM



CHRONOFFSHORE-1 AUTOMATIC
01114 37N NRO Ø 45 MM



CHRONOFFSHORE-1 AUTOMATIC
01114 37N NV Ø 45 MM



25mm

17mm

225g

CHRONOFFSHORE-1 AUTOMATIC
01114 3M BUIN Ø 45 MM



25mm

17mm

225g

CHRONOFFSHORE-1 AUTOMATIC
01114 3M NIN Ø 45 MM



The Chronoffshore casebacks are capable to withstand high pressure conditions and ensure consequent water resistance thanks to their thickness and construction.



25mm

17mm

175g

CHRONOFFSHORE-1 AUTOMATIC
01114 3 BUIN Ø 45 MM



25mm

17mm

175g

CHRONOFFSHORE-1 AUTOMATIC
01114 3 NIN Ø 45 MM



-  DAY DATE
- 
- 
- 
-  He
- 
-  ST STEEL
-  PVD
-  30 ATM
-  25mm
-  17mm
-  225g



OFFSHORE-1 PROFESSIONAL
80088 37N NR02 Ø 43 MM

-  DAY DATE
- 
- 
- 
-  He
- 
-  ST STEEL
-  PVD
-  30 ATM
-  25mm
-  17mm
-  225g



OFFSHORE-1 PROFESSIONAL
80088 37N NV2 Ø 43 MM



CHRONOFFSHORE-1 BIG DATE
10020 3M NIN Ø 45 MM



CHRONOFFSHORE-1 BIG DATE
10020 3M NBU Ø 45 MM



CHRONOFFSHORE-1 BIG DATE
10020 37R NIR Ø 45 MM



CHRONOFFSHORE-1 BIG DATE
10020 3 NIN Ø 45 MM



CHRONOFFSHORE-1 BIG DATE
10020 3 NBU Ø 45 MM

-  QUARTZ
-  30 ATM
-  218 BIG DATE
-  CHRONOGRAPH
-  DATE WINDOW
-  SPARE PARTS
-  WATERPROOF
-  ST
STEEL
-  30
ATM
-  25mm
-  13mm
-  150g



CHRONOFFSHORE-1
10020 3 BUIN3 Ø 45 MM

-  QUARTZ
-  30 ATM
-  218 BIG DATE
-  CHRONOGRAPH
-  DATE WINDOW
-  SPARE PARTS
-  WATERPROOF
-  ST
STEEL
-  30
ATM
-  25mm
-  13mm
-  150g



CHRONOFFSHORE-1
10020 3 NIN3 Ø 45 MM



Pal Virik Nilsen, Norway, Powerboat Pilot



CHRONOLADY
10411 37NR120D NANN Ø 38 MM



CHRONOLADY
10411 37N NANN Ø 38 MM



CHRONOLADY
10411 37RB NAIN Ø 38 MM



CHRONOLADY
10411 3B NAIN Ø 38 MM



CHRONOLADY
10411 3BC NAIN Ø 38 MM



Edox is the official and exclusive timekeeper of the World Curling Championship. Curling is an official Olympic discipline since 1998 Nagano Olympic Games.





HYDRO-SUB COLLECTION HIGHLIGHTS

The Hydro-Sub is an iconic collection for Edox. Initially launched in 1965 with a remarkable water resistance to 500 meters, the Hydro-Sub collection was quickly considered as a “water champion”. Edox celebrates the Hydro-Sub 50th anniversary in 2015 with a modern version of Hydro-Sub featuring a fantastic engraved world map view from the North Pole engraving and using the Edox double O’ring special gaskets for extra water resistance.

1965
First generation
Hydro sub
WR 50 ATM



MASTERLOCK

The MasterLock is an exclusive device invented by Edox for the new Hydro-Sub collection. Made to protect the crown from extreme external conditions (ice, water), the MasterLock is the ultimate tool for a watch to keep its accuracy. Easy to handle, the MasterLock pivots on the side of the case and allows simple and easy access to the watch command.



NORTH POLE MISSION 2015

Austrian free diver Christian Redl has expedited to the geographic North Pole in April 2015 with Australian Marcus Fillinger. The pair has trekked from Canadian Northern territory to the Pole, where Redl has performed the first world free dive under the ice under extreme conditions (water temperature of barely 2 degrees, air temperature of -40 degrees).

HYDRO-SUB

THE SUBMARINE WATCH



HYDRO-SUB

HYDRO-SUB THE SUBMARINE WATCH



HYDRO-SUB 50TH ANNIVERSARY LIMITED EDITION **NEW**
80301 3NBU NBU Ø 46 MM
LIMITED EDITION OF 515 PIECES WORLDWIDE




50TH ANNIVERSARY OF HYDRO-SUB COLLECTION



Christian Redl
Free Dive Multiple World Champion
North Pole Mission 2015



HYDRO-SUB  Pole
NORTH POLE MISSION 2015





HYDRO-SUB THE SUBMARINE WATCH



A solid and robust built stainless steel caseback closes the Hydro-Sub collection, ensuring a water resistance and a full isolation of the movement to the external elements.





CHRONORALLY COLLECTION HIGHLIGHTS

Rally pilots, such as Edox ambassador and WRC pilot Martin Prokop from Czech Republic, are enduring very hard conditions: heat, dust, mud, sand... For professional pilots and all rally aficionados, wearing a Chronorally timepiece means a lot in terms of quality. Chronorally collection is built to withstand these harsh environment conditions.



OVERSIZED PUSHER

Over-sized pusher allows the perfect grip on the watch commands even when wearing driving gloves. The Chronorally collection must meet all demanding criterias from rally drivers.



TECHNICAL DESIGN AND ROBUST MATERIALS

The Chronorally collection must withstand extreme external conditions, such as heat, sand, dust, mud, cold, etc. The collection features robust stainless steel or ultra-light titanium and specially conceived rubber straps.



CARBONE FIBRE DIALS

When conceiving the Chronorally timepieces, all details count.

The dials belong to the same philosophy and reflects the technicity linking the timepieces to the automobile environment.

Made of carbone fibre, the dials reflect the modernity and the priority that Edox puts in such details that highly counts in elaborating a timepiece that is intrinsically linked to rally cars.

CHRONORALLY

RALLY INSTRUMENTS



CHRONORALLY





Chronorally casebacks pays tribute to rally world and aficionados with special rubber inprint or tyre profile.

CHRONORALLY RALLY INSTRUMENTS



Such high pressure resistant case backs or comparable are used for the Chronorally collection.





CHRONORALLY

Scott McLaughlin, Australia, V8 Supercar Champion

CHRONORALLY RALLY INSTRUMENTS



Such high pressure resistant case backs or comparable are used for the Chronorally collection.





CHRONORALLY



CHRONORALLY 1 COLLECTION HIGHLIGHTS

Dedicated to car and rally drivers

The Chronorally-1 is a tribute to all car races aficionados and rally drivers who like the speed and the adrenalin of sportive driving style.



STRAP

The straps of Chronorally-1 timepieces states the philosophy of the collection to racing world with tire imprints on robust genuine black rubber straps.



PUSHERS

The pushers of the Chronorally-1 collection are declined from the Chronorally collection with the same idea of bringing a useful and easy to handle command to the watch.

Drivers gloved hands have easy access to the oversized pusher which colored aluminium makes the collection uniquely recognizable.

CHRONORALLY 1

RALLY INSTRUMENTS



CHRONORALLY 1

CHRONORALLY 1 RALLY INSTRUMENTS



CHRONOGRAPH AUTOMATIC
01118 37NR NRO Ø 45 MM



CHRONOGRAPH AUTOMATIC
01118 3 NO Ø 45 MM



The wide opening of the caseback allows a full view on the automatic movement. This movement is considered as the Rolls-Royce movement of the watchmaking industry.



AUTOMATIC
80094 3N NV Ø 45 MM



AUTOMATIC
80094 3 NN Ø 45 MM



Martin Prokop, Czech Republic, WRC pilot.



CHRONORALLY
10305 3NRM AN Ø 45 MM



Like a real car wheel, the Chronorally-1 caseback is built as a tyre side view.



CHRONORALLY
10305 3NR AN Ø 45 MM

- Q QUARTZ
- 30 30m
- 50 50m
- 100 100m
- S ST STEEL
- PVD
- 10 10 ATM
- 23mm
- 12mm
- 184g




CHRONORALLY
10305 3NRM NR Ø 45 MM

- Q QUARTZ
- 30 30m
- 50 50m
- 100 100m
- S ST STEEL
- PVD
- 10 10 ATM
- 23mm
- 12mm
- 184g



CHRONORALLY
10305 3NVM NV Ø 45 MM



BEZEL COUNTDOWN FUNCTION
With a countdown bezel, you rotate the bezel to a start time and when the minute hands reaches zero, the time is up.

- EDOX
- Q QUARTZ
- 30 30m
- 50 50m
- 100 100m
- S ST STEEL
- PVD
- 10 10 ATM
- 23mm
- 12mm
- 127g



CHRONORALLY
10305 3NR NR Ø 45 MM

- EDOX
- Q QUARTZ
- 30 30m
- 50 50m
- 100 100m
- S ST STEEL
- PVD
- 10 10 ATM
- 23mm
- 12mm
- 127g



CHRONORALLY
10305 3NV NV Ø 45 MM

- EDOX
- Q QUARTZ
- 30 30m
- 50 50m
- 100 100m
- S ST STEEL
- PVD
- 10 10 ATM
- 23mm
- 12mm
- 127g



CHRONORALLY
10305 37N NN Ø 45 MM

DELFIN THE ORIGINAL COLLECTION HIGHLIGHTS

The Delfin collection was first launched in 1965 and used revolutionary inside parts in order to withstand an impressive water resistance of 200 meters.


Nowadays, this special equipment is still featured in Edox timepieces.



1973
Generation 3
Delfin Professional
WR 20 ATM

DESIGN

The case design is scrupulously respected for the return of the iconic Delfin collection. The dodecagonal (12 angles) keeps the spirit of the vintage collection alive.



DOUBLE O'RING

By launching specifically highly technical masterpieces, Edox had to find solution to ensure the perfect water resistance of its timepieces.

The Delfin timepieces are now equipped with special double O'rings for the crowns and pushers, reinforced caseback and special caseback gasket in order to ensure the water resistance.

DELFIN THE ORIGINAL

THE WATER CHAMPION WATCH



DELFIN

DELFIN THE ORIGINAL THE WATER CHAMPION WATCH





DELFIN THE ORIGINAL THE WATER CHAMPION WATCH



Born in 1961, the Delfin collection was immediately called the « Water Champion Watch » as the case construction uses re-inforced caseback and double O-ring gaskets for reliable water resistance.



DELFIN



Nowadays Delfin collection pays tribute to original Delfin timepieces with its first nickname (Water Champion Watch). Also, the watch is equipped with a double caseback, ensure the best water resistance under all circumstances.

DELFIN THE ORIGINAL THE WATER CHAMPION WATCH



 QUARTZ



 ST STEEL

 20 ATM
 20mm
 12mm
 102g

DELFIN CHRONOGRAPH NEW
10107 37RNCA GIR Ø 43 MM



 QUARTZ



 ST STEEL

 20 ATM
 20mm
 12mm
 102g

DELFIN CHRONOGRAPH NEW
10107 3CA AIN Ø 43 MM



 QUARTZ



 ST STEEL

 20 ATM
 20mm
 12mm
 102g

DELFIN CHRONOGRAPH NEW
10107 3CA NIN Ø 43 MM



 QUARTZ



 ST STEEL

 20 ATM
 20mm
 12mm
 102g

DELFIN CHRONOGRAPH NEW
10107 37RNC GIR Ø 43 MM



 QUARTZ



 ST STEEL

 20 ATM
 20mm
 12mm
 102g

DELFIN CHRONOGRAPH NEW
10107 3C AIN Ø 43 MM



 QUARTZ



 ST STEEL

 20 ATM
 20mm
 12mm
 102g

DELFIN CHRONOGRAPH NEW
10107 3C NIN Ø 43 MM



DELFIN



DELFIN THE ORIGINAL THE WATER CHAMPION WATCH





GEOSCOPE COLLECTION HIGHLIGHTS

In 1971, Edox introduced the Geoscope, the world's first genuine WorldTimer wristwatch.

It was a big (42mm), bold and beautiful creation and immediately became a collectors' favourite.

The original Geoscope's unique colourful planisphere dial showed the globe as viewed from the South Pole. An inner bezel, displaying 24 divisions, made one complete revolution every 24 hours and the watch also showed GMT time, plus the sun's position.

The new Geoscope Limited Edition is an updated version of the original classic, which is still a highly sought-after collector's piece.



1970
The World's First
Real World Clock
Geoscope
WR 20 ATM

DIAL

The Geoscope Limited Edition retains the inner rotating bezel with its incredible "earth map" drawing, as viewed from the North Pole, plus a date display on a sub-dial at 6 o'clock. The bright orange and blue colors have the same incredible impact as the original dial of 1971.



CASE

The case of the Geoscope shows a dodecagonal design. These 12 angles stand for the display division. Built in strong stainless steel, the case and bracelet are ideally designed for a comfortable and everyday wear.

GEOSCOPE

THE ART OF WATCHMAKING



- Automatic
- 20 ATM
- Swiss Made
- Stainless Steel
- 20 ATM
- 26mm
- 12mm
- 190g

26mm

12mm

190g

GEOSCOPE
07002 3 C1 Ø 46 MM
Limited Edition of 300 pieces worldwide



GEOSCOPE

LAPASSION COLLECTION HIGHLIGHTS

Olympian and world champion swimmer Mireia Belmonte thrives on passion - the passion to be the best of the best.

She's the perfect ambassador for the new LaPassion collection from boutique Swiss watchmaker Edox, a company that from its very beginnings in 1884 was forged by passion.

When master watchmaker Christian Ruefli-Flury made a pocket watch for his wife Pauline, she convinced him to set up his own watch making company - Edox. It was a decision fuelled by vision, expertise - and love.

More than 130 years' on, Edox brings its watchmaking passion, quality craftsmanship and superb engineering to the fore with the LaPassion collection.

And who better than to reflect the LaPassion philosophy than multiple world record holder Mireia Belmonte.

"Without passion there is no success," says the Spaniard, echoing the determination and emotion that led to the founding of Edox in the first place.



HORSE-SHOE

The aperture of the Open Heart dials represent a horse-shoe, which is a symbol that represent the luck. This lucky charm is to bless two persons finding the love for the eternity.



SHINY STONE

The crowns of LaPassion collection feature a nice stone, symbol of eternity, femininity and elegance.

LAPASSION

FOR THE ART OF LIVING



LAPASSION





18.5mm

1.1mm

88g

OPEN HEART **NEW**
85025 357RM NIR Ø 33 MM



18.5mm




1.1mm


48g

OPEN HEART **NEW**
85025 357RC NIR Ø 33 MM



The transparent caseback shows the beating mechanism and its delicate name decoration.











 *Mireia Belmonte*

Spanish Swimmer
Multiple World Record Holder
and Olympic Medallist









CHRONOGRAPH **NEW**
10220 3M AIN Ø 35 MM



CHRONOGRAPH **NEW**
10220 3M AR Ø 35 MM



CHRONOGRAPH **NEW**
10220 3M BUI Ø 35 MM



CHRONOGRAPH **NEW**
10220 3C AIN Ø 35 MM



CHRONOGRAPH **NEW**
10220 3C AR Ø 35 MM



CHRONOGRAPH **NEW**
10220 3C BUI Ø 35 MM



CHRONOGRAPH **NEW**
10220 3M NIN Ø 35 MM



CHRONOGRAPH **NEW**
10220 3M ROIN Ø 35 MM



CHRONOGRAPH **NEW**
10220 3C NIN Ø 35 MM



CHRONOGRAPH **NEW**
10220 3C ROIN Ø 35 MM





 *Mireia Belmonte*

Spanish Swimmer
Multiple World Record Holder
and Olympic Medallist







2-HANDS **NEW**
57002 37RM NIR Ø 29 MM




2-HANDS **NEW**
57002 37RC NIR Ø 29 MM



2-HANDS **NEW**
57002 37RC ROUIR Ø 29 MM





-  QUARTZ
-  S
-  5 ATM
-  17mm
-  7.1mm
-  66g

2-HANDS **NEW**
57002 3M AIN Ø 29 MM



-  QUARTZ
-  S
-  5 ATM
-  17mm
-  7.1mm
-  66g





2-HANDS **NEW**
57002 3M AR Ø 29 MM



-  QUARTZ
-  S
-  5 ATM
-  17mm
-  7.1mm
-  66g







2-HANDS **NEW**
57002 3M BUIN Ø 29 MM



-  QUARTZ
-  S
-  5 ATM
-  17mm
-  7.1mm
-  30g

2-HANDS **NEW**
57002 3C AIN Ø 29 MM



-  QUARTZ
-  S
-  5 ATM
-  17mm
-  7.1mm
-  30g

2-HANDS **NEW**
57002 3C AR Ø 29 MM



-  QUARTZ
-  S
-  5 ATM
-  17mm
-  7.1mm
-  30g

2-HANDS **NEW**
57002 3C BUIN Ø 29 MM



LES BÉMONTS

COLLECTION HIGHLIGHTS

Farmers in summer working the soil in the fields or breeding their cattle, our predecessors began working as watchmakers during the harsh winter months in order to make some money to sustain during the coldest period of the year.

Getting more and more professional and developing their skills, the former farmers slowly became highly skilled watchmakers.



DESIGN

The design of Les Bémons collection pays tribute to our predecessors, by respecting the elegance and the classicism of the first ever-made Edox timepieces. Round lines, delicate curves, and traditional material build the Les Bémons collection and makes it a legendary collection for Edox.

LES BÉMONTS

STYLE & ELEGANCE





LES BÉMONTS C.R.-F.
LIMITED EDITION **NEW**
95005 3 AIR Ø 44 MM
LIMITED EDITION OF 200 PIECES WORLDWIDE

C.R.-F.

Official Certificate

LES BÉMONTS C.R.-F.
LIMITED EDITION

C.R.-F.



LES BÉMONTS C.R.-F. LIMITED EDITION

The fascinating and intricate engineering of the movement that perfectly tracks the endless passing of time can be seen on the planet for (skateboard) dial.



A soft black leather strap perfectly complements a modern, yet classic, loading, tempest.

The case back of this 44 mm heavy is engraved with Christian Ruffin-Flury's initials and individual serial numbers for each piece.

The Les Bémonts C.R.-F. Limited Edition is another milestone in the Edox watchmaking tradition, which began in 1871 and has been at the forefront of many historical developments, including:

- The revolutionary Duet in 1941, water-resistant to 200m.
- The manufacture of the Hydrodive in 1945, water-resistant to 500m.
- The Genevex 24-hour watch in 1970.
- Launching a collection of sports watches in 2004 incorporating a range of cutting-edge materials derived from aerospace technology, such as carbon, carbon and titanium.







DAY
DATE



ST
STEEL

PVD

3
ATM



22mm



13mm



169g



CHRONOGRAPH AUTOMATIC
01120 37RM GIR Ø 44 MM



DAY
DATE



ST
STEEL

PVD

3
ATM



22mm



13mm



169g



CHRONOGRAPH AUTOMATIC
01120 37RM AIR Ø 44 MM



DAY
DATE



ST
STEEL

PVD

3
ATM



22mm



13mm



115g



CHRONOGRAPH AUTOMATIC
01120 37R GIR Ø 44 MM



DAY
DATE



ST
STEEL

PVD

3
ATM



22mm



13mm



115g



CHRONOGRAPH AUTOMATIC
01120 37R AIR Ø 44 MM























Very classical and elegant, the caseback of Les Bémonts stands for respecting the collection design.













DAY DATE
56001 3M GIN Ø 40 MM



DAY DATE
56001 3M AIN Ø 40 MM



DAY DATE
56001 3M NAIN Ø 40 MM



DAY DATE
57001 3M GIN Ø 28 MM



DAY DATE
57001 3M AIN Ø 28 MM



DAY DATE
57001 3M NAIN Ø 28 MM







LES VAUBERTS

COLLECTION HIGHLIGHTS

Edox homeland is the land of traditional watchmaking and is the crib of the modern watchmaking craftsmanship. Our land is rich of more than 400 years of history in watchmaking and our pride is to respect our elders' work and heritage.



OPEN HEART

Les Vauberts collection pays tribute to our predecessors by featuring apertures on the dials and transparent caseback. This allows the full view on the beating movement of the watch and shows the skills of modern watchmaking craftsmanship by assembling mechanical movements.



ENGRAVING

The Les Vauberts caseback engraving represents a typical farm of the Swiss Jura where farmers worked in the fields in summer and became skilled watchmakers during the harsch winter months.

LES VAUBERTS

TRADITION OF 4 CENTURIES



LES
VAUBERTS



-
-
-
- ST STEEL
-
- PVD
-
- 5 ATM
-
- 22mm
-
- 9.4mm
-
- 74g

OPEN HEART AUTOMATIC
85014 37R GIR Ø 43 MM



-
-
- ST STEEL
-
- PVD
-
- 5 ATM
-
- 22mm
-
- 9.4mm
-
- 74g

OPEN HEART AUTOMATIC
85014 37R AIR Ø 43 MM



Rich of more than 4 centuries in watchmaking, the caseback engraving pays tribute to our predecessors who became skilled watchmakers during the harsh winter months of farming.



-
-
- ST STEEL
-
- 5 ATM
-
- 22mm
-
- 9.4mm
-
- 74g


OPEN HEART AUTOMATIC
85014 3 NIN Ø 43 MM




-
-
-
- ST STEEL
-
- 5 ATM
-
- 22mm
-
- 9.4mm
-
- 74g

OPEN HEART AUTOMATIC
85014 3 AIN Ø 43 MM








MARKETING & MORE

MARKETING
& MORE

THE 7 COMPETENCES OF EDOX

Assembled by master watch makers, engineered for champions: for more than 130 years, Edox watches have combined ultimate precision with ingenious solutions – even for the most demanding activities: be it above or below the water surface, in the eternal ice or even on glowing desert sand, any timing instrument from Edox carrying the legendary hourglass logo will meet even the highest demands of its owner. One of the reasons and at the same time one of Edox strength lies in the construction and build quality of our

watch cases: from additional case-backs, ultra-complex cases to patented crown seals and guards, Edox has truly mastered the art of bringing together function and design. Or in other words: engineering a watch case consisting of up to 20 single components is probably the best proof of how serious we are when it comes to accomplishing perfection in every detail. Which means that as an owner of an Edox you will ultimately benefit from more robustness, quality and increased comfort.



1 IN-HOUSE DESIGN

Located in the heart of the Swiss Jura, Edox has been working for years with the same proven team when it comes to designing watches that are equally unique as perfect for their intended use:

- ☑ Instead of a computer-generated design, each watch is first hand drawn for a more organic look
- ☑ Exclusive made-to-measure and customised components when it comes to straps, dials and hands



2 ULTRA-COMPLEX CASES

Edox timing instruments are made for performance. Perfect example: Our complex cases usually consisting of more than just the standard three parts:

- ☑ Expert in complex case design and engineering
- ☑ Multipart construction with highest precision and attention to detail



3 RELIABLE WATCH MOVEMENTS

We believe in proven movements from the most reputable specialists. Because we want to make absolutely sure that you can rely on your watch every single second of a day – for years to come. In short:

- ☑ Proven Swiss Made calibres from leading movement suppliers
- ☑ World-wide service, reliability and access to spare parts



4 ULTIMATE PRECISION

When it comes to precision we are convinced that being as strict and meticulous as possible is well worth it. Because you will appreciate the quality and attention to detail:

- ☑ The manufacturing tolerance is 1/100 millimetre
- ☑ No standard components are used

SAVOIR-FAIRE

Our understanding of quality is one of the reasons we are successful



5 SWISS HANDMADE MASTERPIECES

Every single part of an Edox watch is made to exact specifications with the lowest possible fabrication tolerances. Nevertheless: Assembly and regulation are still done by hand by skilled watchmakers in Les Genevez, Switzerland.

- ☑ One watchmaker is responsible for the whole watch during assembly and regulation
- ☑ Production and quality control are strictly separated

6 TIME FOR INNOVATION

Edox has a long tradition of finding smart solutions for complex challenges, such as:

- ☑ World's first combined display in a world timer
- ☑ World-record holder for an ultra-flat movement featuring a calendar display
- ☑ Patented double sealed crown (without requiring a screw-in construction) for increased water resistance
- ☑ Unique crown protection (Master Lock)

7 MADE FOR CHAMPIONS

Edox is proud to be chosen as official timekeeper of various competitions and races around the globe. And as a result of this, many athletes and explorers are relying on the quality of their Edox watches as well:

- ☑ Long tradition and history as official timekeeper in automobile, powerboat and yacht racing (World Rally Championship, Dakar Rally, Extreme Sailing Series, World Powerboat Championship)



TECHNICAL INFORMATION

EDOX QUALITY

CLASP & BUCKLE

MOVEMENTS

REFERENCE NUMBER SYSTEM

PICTOGRAMS



EDOX QUALITY

Batteries

In compliance with global regulations and standards, Edox equips its quartz timepieces with mercury-free batteries. This is a positive step towards environmental sustainability with no effect on the watch precision and efficiency.

Conformity

Every component coming into our production facility in Les Genevez in the Swiss Jura is checked to ensure its dimensions, aesthetics, quality and interchangeability.



Diamonds

Edox diamonds are carefully selected and matched not just according to carat value but also to cut, color and clarity. All diamonds are purchased from legitimate sources not involved in funding conflict and in compliance with United Nations resolutions. We guarantee that these diamonds are conflict free.



Edox double O-ring Crown or Pusher

Since the 70's, Edox has set specific quality and technical standards for ensuring the water resistance of diving timepieces. The double O-ring crown or pusher has been engineered by Edox to allow to increase the resistance to water pressure. Timepieces equipped with crowns or pushers featuring a double O-ring are featuring the special pictogram for easy understanding.



Helium Escape Valve

Some of our Chronoffshore-1 timepieces are equipped with a decompression system which allows helium to escape from inside the watch when worn for professional use in pressure chambers (long-term underwater work, crude oil exploration, etc).

The Edox helium valve opens and closes automatically. It is imperative that the models equipped with a non-automatic helium escape valve (such as older Edox timepieces) have the helium valve screwed back in order to guarantee their water resistance.

Leather

All Edox leather straps are specially cut, stitched and padded by expert craftspeople. Various ways of tanning provide different touch and feel for the straps made of cow or calf leather. It is always important to remember that colors and suppleness of leather are subject to change with time and exposure to external factors. Daily showers or swims are not recommended. If your consumers live a very active lifestyle, especially one involving frequent exposure to salt water and heavy perspiration, we recommend a steel bracelet or rubber strap.



Luminescence

This technology, branded under the name Super-Luminova, offers brightness in low-light conditions, thanks to a non-radioactive and non-toxic material like the tritium previously employed in the industry. Edox uses Super-Luminova for its highly functional attributes. It is applied on watch parts such as hands, numerals, bezel indices, etc.

Mother-of-pearl

Resilient, and iridescent, mother-of-pearl is integrated in many Edox dial designs. It is produced inside the shells of certain mollusk shells. This is why each dial made of mother-of-pearl is unique.

Movements

Edox equips its timepieces with Swiss-made precision mechanical and quartz movements. These are sourced from the best manufacturers in Switzerland. Exclusive mechanisms are also developed with renowned partners for special timepieces. Edox integrates exclusive Swiss-developed and Swiss-made electronic modules to power timepieces like the Chronorally.

Mechanical movement:

A mechanical movement undergoes several stresses in its life. To ensure it will remain functional and precise as long as possible, Edox simulates watch wearing in its own quality office for every single manual and self-winding mechanism.



PVD

Edox uses PVD coatings which is a high-performance pollution-free and non-allergenic technology also used in the aeronautic industry, is widely used in watchmaking. The process involves putting a fine titanium coating on stainless steel by condensing a metal vapor in a partial vacuum.

Rubber

Edox uses genuine high-grade rubber for its straps (a natural material and extremely comfortable). The rubber is silky finished and easy to maintain with the proper cleaning.



Sapphire crystals

100% of Edox timepieces are fitted with a scratch-resistant crystal that has been cut from a polished slice of solid sapphire. Each has a triple-coated anti-reflective treatment on the internal side for better legibility.



Stainless Steel

The 316L stainless steel alloy used in Edox cases and bracelets has strong anti-magnetic properties and is optimized for toughness and corrosion resistance. It is also a good choice for consumers allergic to nickels.



Titanium


Edox integrates this metal to some of its sports timepieces, as it is as strong as steel but 45% lighter and highly resistant to corrosion. The high tensile strength to density ratio makes it the ideal material for active lifestyles.

Visual and manual testing

In addition to our testing process, all timepieces are visually checked between each manufacturing step ensuring overall quality based on our own Edox standards. If a timepiece does not pass inspection, it is checked and repaired. It can only go back to the production phase if it has passed the quality check.









Free Dive World Champion Christian Redl recommends the following Water Resistance:

 **Water-resistance**

Edox watch cases are hermetically sealed using high-grade rubber gaskets and screwed-in casebacks to ensure that no moisture or dust comes in contact with the movement inside.

WATER RESISTANCE CLASSIFICATION

	Meters	Feet	ATM	All Edox timepieces are water-resistant from 30 to 1000 metres. Check the details on the back of your Edox timepiece and read the following instructions carefully.	Collection
	30	100	3	Will withstand rain or splashes of water and accidental immersion, but should not be worn while showering, swimming or diving.	Les Bémonts
	50	165	5	Suitable for showering or swimming in shallow water.	Les Vauberts, LaPassion
	100	330	10	Suitable for swimming or snorkelling.	Chronorally, Grand Ocean
	200	650	20	Suitable for swimming or snorkelling.	Chronoffshore-1
	300	990	30	Suitable for scuba diving.	Chronoffshore-1, Grand Ocean
	500	1650	50	Appropriate for serious deep water diving.	Hydro-Sub, Chronoffshore-1



CLASP & BUCKLE

GRAND OCEAN



01121 357N	CHRONOGRAPH AUTOMATIC	p. 11
80077 3	CHRONOMETER	p. 13
83006 3	DAY DATE AUTOMATIC	p. 13
85008 3	OPEN HEART AUTOMATIC	p. 14



01121 357B	CHRONOGRAPH AUTOMATIC	p. 11
85008 357B	OPEN HEART AUTOMATIC	p. 14



85012 3	OPEN VISION AUTOMATIC	p. 16
85012 357J	OPEN VISION AUTOMATIC	p. 16
85012 357JN	OPEN VISION AUTOMATIC	p. 16
85012 357N	OPEN VISION AUTOMATIC	p. 16

GRAND OCEAN



01121 357RN	CHRONOGRAPH AUTOMATIC	p. 11
--------------------	-----------------------	-------



85013 3	OPEN VISION AUTOMATIC	p. 15
85013 357J	OPEN VISION AUTOMATIC	p. 15

CHRONOFFSHORE-1



10020 37RBU	CHRONOFFSHORE-1 10TH ANNIVERSARY LIMITED EDITION	p. 20
10411 37RB	CHRONOLADY	p. 28

CHRONOFFSHORE-1



01114 37N	CHRONOFFSHORE-1 AUTOMATIC	p. 22
80088 37N	OFFSHORE-1 PROFESSIONAL	p. 25
10020 37R	CHRONOFFSHORE-1 BIG DATE	p. 26
10411 37N	CHRONOLADY	p. 28
10411 37NR120D	CHRONOLADY	p. 28



01114 3	CHRONOFFSHORE-1 AUTOMATIC	p. 23
10020 3	CHRONOFFSHORE-1 BIG DATE	p. 26-27
10411 3B	CHRONOLADY	p. 28
10411 3BC	CHRONOLADY	p. 29



01114 3M	CHRONOFFSHORE-1 AUTOMATIC	p. 23
10020 3M	CHRONOFFSHORE-1 BIG DATE	p. 26

CHRONOFFSHORE-1



01115 37N	CHRONOFFSHORE-1 AUTOMATIC	p. 22
------------------	---------------------------	-------

HYDRO-SUB



80301 3NBU	HYDRO-SUB 50TH ANNIVERSARY LIMITED EDITION	p. 32
80301 3NCA	HYDRO-SUB AUTOMATIC	p. 35
80301 3NOCA	HYDRO-SUB AUTOMATIC	p. 35
53200 3NGCA	HYDRO-SUB 3-HANDS	p. 36
53200 3NRCA	HYDRO-SUB 3-HANDS	p. 37
53200 3NVCA	HYDRO-SUB 3-HANDS	p. 37
53200 3OCA	HYDRO-SUB 3-HANDS	p. 36



80301 3NM	HYDRO-SUB AUTOMATIC	p. 35
80301 3NOM	HYDRO-SUB AUTOMATIC	p. 35
53200 3NGM	HYDRO-SUB 3-HANDS	p. 36
53200 3NRM	HYDRO-SUB 3-HANDS	p. 37
53200 3NVM	HYDRO-SUB 3-HANDS	p. 37
53200 30M	HYDRO-SUB 3-HANDS	p. 36

CHRONORALLY



10302 3M	CHRONORALLY	p. 42
10302 3MV	CHRONORALLY	p. 42



38001 TIN	CHRONORALLY	p. 41
10302 3	CHRONORALLY	p. 44-45
10302 3V	CHRONORALLY	p. 44



10302 37N	CHRONORALLY	p. 44-45
------------------	-------------	----------

CHRONORALLY 1



01118 3	CHRONOGRAPH AUTOMATIC	p. 48
80094 3	AUTOMATIC	p. 48
10305 3NR	CHRONORALLY	p. 50-51
10305 3NV	CHRONORALLY	p. 51



01118 37NR	CHRONOGRAPH AUTOMATIC	p. 48
80094 3N	AUTOMATIC	p. 48
10305 37N	CHRONORALLY	p. 51



10305 3NRM	CHRONORALLY	p. 50-51
10305 3NVM	CHRONORALLY	p. 51

DELFIN THE ORIGINAL



85024 37GRM	DELFIN OPEN HEART	p. 54
10108 37GR	DELFIN CHRONOGRAPH	p. 56
53005 37GRM	DELFIN THE ORIGINAL	p. 59
54004 37GRM	DELFIN 3-HANDS	p. 61



85024 3BUM	DELFIN OPEN HEART	p. 54
85024 3M	DELFIN OPEN HEART	p. 54
10108 357J	DELFIN CHRONOGRAPH	p. 57
10108 3	DELFIN CHRONOGRAPH	p. 56-57
10108 3BU	DELFIN CHRONOGRAPH	p. 56
53005 3BUM	DELFIN THE ORIGINAL	p. 59
53005 3M	DELFIN THE ORIGINAL	p. 59
54004 3M	DELFIN 3-HANDS	p. 60
54004 3BUM	DELFIN 3-HANDS	p. 61



10107 37RNCA	DELFIN CHRONOGRAPH	p. 58
10107 3CA	DELFIN CHRONOGRAPH	p. 58

DELFIN THE ORIGINAL



10107 37RNC	DELFIN CHRONOGRAPH	p. 58
10107 3C	DELFIN CHRONOGRAPH	p. 58

GEOSCOPE



07002 3	GEOSCOPE	p. 63
----------------	----------	-------

LAPASSION



85025 357RM	OPEN HEART	p. 66-67
85025 3M	OPEN HEART	p. 70-71
10220 357RM	CHRONOGRAPH	p. 72
10220 3M	CHRONOGRAPH	p. 76-77
57002 357RM	2-HANDS	p. 78
57002 3M	2-HANDS	p. 82-83

LAPASSION



85025 357RC	OPEN HEART	p. 66-67
85025 3C	OPEN HEART	p. 70-71
10220 357RC	CHRONOGRAPH	p. 72
10220 3C	CHRONOGRAPH	p. 76-77
57002 357RC	2-HANDS	p. 78
57002 3C	2-HANDS	p. 82-83



85025 37RM	OPEN HEART	p. 68-69
10220 37RM	CHRONOGRAPH	p. 74-75
57002 37RM	2-HANDS	p. 80-81



85025 37RC	OPEN HEART	p. 68-69
10220 37RC	CHRONOGRAPH	p. 74-75
57002 37RC	2-HANDS	p. 80-81

LES BÉMONTS




95005 3	LES BÉMONTS C. R. - F. LIMITED EDITION	p. 86
01120 3M	CHRONOGRAPH AUTOMATIC	p. 89
01120 3	CHRONOGRAPH AUTOMATIC	p. 89
83015 3	DAY DATE	p. 93
85021 3	OPEN HEART	p. 95
64012 3	BIG DATE	p. 99
56001 3	LES BÉMONTS	p. 106
57001 3	LES BÉMONTS	p. 106



01120 37RM	CHRONOGRAPH AUTOMATIC	p. 88
01120 37R	CHRONOGRAPH AUTOMATIC	p. 88
83015 37R	DAY DATE	p. 92
85021 37R	OPEN HEART	p. 94
64012 37R	BIG DATE	p. 98
56001 37R	LES BÉMONTS	p. 102-103
57001 37R	LES BÉMONTS	p. 102-103

LES BÉMONTS



83015 37RM	DAY DATE	p. 92
85021 37RM	OPEN HEART	p. 94
64012 37RM	DAY DATE	p. 98
56001 37RM	DAY DATE	p. 100-101
57001 37RM	DAY DATE	p. 100-101



83015 3M	DAY DATE	p. 93
85021 3M	OPEN HEART	p. 95
64012 3M	DAY DATE	p. 99
56001 3M	DAY DATE	p. 104
57001 3M	DAY DATE	p. 104

LES VAUBERTS



















85014 3	OPEN HEART AUTOMATIC	p. 110
85019 3A	OPEN HEART	p. 111
85019 3N	OPEN HEART	p. 111







85014 37R	OPEN HEART AUTOMATIC	p. 110
85019 37RA	OPEN HEART	p. 111
85019 37RG	OPEN HEART	p. 111




MECHANICAL MOVEMENTS

CALIBER / MANUFACTURER	07	SW 300 DUBOIS-DÉPRAZ 312	011	VALJOUX 7750	012	VALGRANGES A07.211	30	ETA 2892-2 DUBOIS-DÉPRAZ 285
MOVEMENT								
								
FUNCTIONS	Display of hours, minutes, seconds and date. 24 time zone display		Display of hours, minutes, seconds and date. Chronograph. Day and Date		Display of hours, minutes, seconds and date. Chronograph		Display of hours, minutes, seconds, chronograph and date	
Frequency	28'800 A/h		28'800 A/h		28'800 A/h		28'800 A/h	
Power reserve	40-44 h		46 h		46 h		42 h	
Diameter	25.60 mm (1 1/2''')		30.00 mm (1 3/4''')		36.60 mm (1 6/8''')		30.00 mm (1 3/4''')	
Movement height	4.85 mm		7.90 mm		7.90 mm		6.50 mm	
Number of jewels	25 jewels		25 jewels		25 jewels		41 jewels	
Shock resistance	Incabloc		Incabloc		Incabloc		Incabloc	
Max. variation all positions	22 s/d		20 s/d		20 s/d		22 s/d	

CALIBER / MANUFACTURER	37	ETA 2000-1	45	ETA 2892-A2 DUBOIS DÉPRAZ 4500	72	ETA 7001	77	ETA 2892-A2 DUBOIS-DÉPRAZ 14070
MOVEMENT								
								
FUNCTIONS	Display of hours, minutes, seconds and date.		Display of hours, minutes, seconds. Chronograph and Big Date		Display of hours, minutes, and small second at 6 o'clock		Display of hours, minutes, seconds and date, regulator	
Frequency	28'800 A/h		28'800 A/h		21'600 A/h		28'800 A/h	
Power reserve	40 h		40-44 h		42 h		42 h	
Diameter	19.40 mm (8 3/4''')		30.00 mm (1 3/4''')		23.30 mm (10 1/2''')		30.00 mm (1 3/4''')	
Movement height	3.60 mm		7.30 mm		2.50 mm		5.20 mm	
Number of jewels	20 jewels		49 jewels		17 jewels		25 jewels	
Shock resistance	Incabloc		Incabloc		Incabloc		Incabloc	
Max. variation all positions	30 s/d		22 s/d		25 s/d		22 s/d	








MECHANICAL MOVEMENTS





CALIBER / MANUFACTURER	80	ETA 2824 / SW 200	80	ETA 2892-A2	802	SW 200	82	ETA 2004-1
MOVEMENT								
FUNCTIONS	Display of hours, minutes, seconds and date		Display of hours, minutes, seconds and date		Display of hours, minutes, seconds and date		Display of hours, minutes, seconds and date	
Frequency	28'800 A/h		28'800 A/h		28'800 A/h		28'800 A/h	
Power reserve	38 h		42 h		42 h		40 h	
Diameter	25.60 mm (1 1/2''')		25.60 mm (1 1/2''')		25.60 mm (1 1/2''')		23.30 mm (10 1/2''')	
Movement height	4.60 mm		3.60 mm		3.60 mm		3.60 mm	
Number of jewels	25 jewels / 26 jewels		21 jewels		21 jewels		20 jewels	
Shock resistance	Novodiac or Etachocs		Novodiac or Etachocs		Incabloc		Incabloc	
Max. variation all positions	30 s/d		15 s/d		30 s/d*		30 s/d	

CALIBER / MANUFACTURER	83	ETA 2834	85	ETA 2824 / SW 200	87	ETA 2892-A2 DUBOIS DÉPRAZ DK 87	90	ETA 2824 SOPROD 9000
MOVEMENT								
FUNCTIONS	Display of hours, minutes, seconds, day and date		Display of hours, minutes and seconds		5 minute repeater Indication of time by the tone of 2 striking hammers		Display of hours, minutes, seconds. Day, date, month and moon phase	
Frequency	28'800 A/h		28'800 A/h		28'800 A/h		28'800 A/h	
Power reserve	42 h		42 h		42 h		38 h	
Diameter	29.00 mm (1 13/16''')		25.60 mm (1 1/2''')		36.00 mm (1 6/16''')		25.60 mm (1 1/2''')	
Movement height	5.05 mm		4.60 mm		7.35 mm		6.20 mm	
Number of jewels	25 jewels		25 jewels		21 jewels		25 jewels	
Shock resistance	Incabloc or Etachocs		Novodiac		Incabloc		Incabloc	
Max. variation all positions	30 s/d		30 s/d		22 s/d		25 s/d	



*For certified chronometer timepieces, the maximum variation per day is of +/- 3 seconds per day.





MECHANICAL MOVEMENTS





CALIBER / MANUFACTURER	91	ETA 2824-2 DUBOIS DÉPRAZ 291	92	VENUS 203	93	ETA 2893	94	ETA 2892-A2 SOPROD 9090
MOVEMENT	 		 		 		 	
FUNCTIONS	Display of hours, minutes, seconds, date and chronograph.		Display of hours, minutes, seconds, day, date, month and moon phase		Display of hours, minutes, seconds, second time zone (GMT)		Display of hours, minutes, seconds, power reserve and big date	
Frequency	28'800 A/h		18'000 A/h		28'800 A/h		28'800 A/h	
Power reserve	38 h		+/- 40 h		42 h		42 h	
Diameter	30.00 mm (13 1/4"')		25.60 mm (11 1/2"')		25.60 mm (11 1/2"')		25.60 mm (11 1/2"')	
Movement height	7.50 mm		5.25 mm		4.10 mm		5.10 mm	
Number of jewels	46 jewels		15 jewels		21 jewels		28 jewels	
Shock resistance	Incabloc		-		Incabloc		Incabloc	
Max. variation all positions	30 s/d		+1min/d		20 s/d		20 s/d	





CALIBER / MANUFACTURER	95	ETA 2894 S2L	96	ETA 2895-2
MOVEMENT	 		 	
FUNCTIONS	Display of hours, minutes, seconds and chronograph.		Display of hours, minutes, small second	
Frequency	28'800 A/h		28'800 A/h	
Power reserve	42 h		42 h	
Diameter	28.00 mm (12 1/2"')		25.60 mm (11 1/2"')	
Movement height	6.10 mm		4.35 mm	
Number of jewels	37 jewels		27 jewels	
Shock resistance	Incabloc		Incabloc	
Max. variation all positions	30 s/d		20 s/d	

QUARTZ MOVEMENTS


CALIBER / MANUFACTURER	26	EDOX CALIBRE 26000	27	EDOX CALIBRE 27000
MOVEMENT				
The World's slimmest calendar movement				
FUNCTIONS	Display of hours, minutes and date		Display of hours, minutes and date	
Diameter	19.95 mm (9'')		23.30 mm (10 1/2'')	
Movement height	1.40 mm		1.40 mm	
Battery	N° 341		N° 341	


CALIBER / MANUFACTURER	10	RONDA 5040.B	13N	ETA 251.272	14	RONDA 1042	015	ETA G15.261
MOVEMENT								
FUNCTIONS	Display of hours, minutes, seconds and big date, chronograph, split time		Display of hours, minutes, seconds, date and chronograph.		Display of hours and minutes		Display of hours, minutes, seconds and date, chronograph retrograde	
Diameter	28.00 mm (12 1/2'')		30.00 mm (13 1/2'')		10.40 mm (4 1/4'')		23.30 mm (10 1/2'')	
Movement height	4.40 mm		5.00 mm		2.90 mm		5.25 mm	
Battery	N° 395		N° 394		N° 335		N° 394	


CALIBER / MANUFACTURER	16	RONDA 1032	17	ETA 280.002	019	ETA 251.471	20	RONDA 762
MOVEMENT								
FUNCTIONS	Display of hours and minutes		Display of hours and minutes		Display of hours, minutes, seconds and date, chronograph		Display of hours and minutes	
Diameter	9.00 x 13.20 mm (3 3/4 x 6'')		9.00 x 15.15 mm (3 3/4 x 6 3/4'')		23.30 mm (10 1/2'')		15.30 x 17.80 mm (6 3/4 x 8'')	
Movement height	1.95 mm		2.05 mm		4.70 mm		2.50 mm	
Battery	N° 317		N° 321		N° 394		N° 364	


CALIBER / MANUFACTURER	21	ETA 901.005	23	RONDA 1069	28	ETA 282.001	32	ETA F04.111
MOVEMENT								
FUNCTIONS	Display of hours and minutes		Display of hours, minutes and small second		Display of hours and minutes		Display of hours, minutes and date	
Diameter	13.00 x 15.55 mm (3 1/2 x 6 3/4'')		15.30 x 17.80 mm (6 3/4 x 8'')		13.00 x 18.20 mm (5 1/2 x 8'')		19.40 mm (8 3/4'')	
Movement height	2.35 mm		2.30 mm		1.40 mm		2.50 mm	
Battery	N° 321		N° 379		N° 346		N° 364	


QUARTZ MOVEMENTS


CALIBER / MANUFACTURER	33	ETA F04.111
MOVEMENT		
FUNCTIONS	Display of hours, minutes, seconds and date	
Diameter	19.40 mm (8 3/4''')	
Movement height	2.50 mm	
Battery	N° 364	


CALIBER / MANUFACTURER	34	RONDA 7004
MOVEMENT		
FUNCTIONS	Display of hours, minutes, small second, date retrograde.	
Diameter	33.80 mm (15''')	
Movement height	5.60 mm	
Battery	N° 381	


CALIBER / MANUFACTURER	36	SOPROD
MOVEMENT		
FUNCTIONS	Display of hours, minutes. Race timing, total replay, countdown and chronograph.	
Diameter	36.00 mm (16''')	
Movement height	5.83 mm	
Battery	CR 2325 Lithium	


CALIBER / MANUFACTURER	38	RONDA 8040.N
MOVEMENT		
FUNCTIONS	Display of hours, minutes, day date, chronograph.	
Diameter	33.80 mm (15''')	
Movement height	5.60 mm	
Battery	N° 395	


CALIBER / MANUFACTURER	39	RONDA 788
MOVEMENT		
FUNCTIONS	Display of hours, minutes, seconds, date and moon phase	
Diameter	19.40 mm (8 3/4''')	
Movement height	2.98 mm	
Battery	N° 362	


CALIBER / MANUFACTURER	48	ISA 8272
MOVEMENT		
FUNCTIONS	Display of hours, minutes, seconds, date and tide range.	
Diameter	25.60 mm (11 1/2''')	
Movement height	4.60 mm	
Battery	N° 399	


CALIBER / MANUFACTURER	51	ETA F03.111
MOVEMENT		
FUNCTIONS	Display of hours, minutes and date	
Diameter	17.20 mm (7 3/4''')	
Movement height	2.65 mm	
Battery	N° 364	

CALIBER / MANUFACTURER	53	RONDA 515
MOVEMENT		
FUNCTIONS	Display of hours, minutes, seconds and date	
Diameter	26.20 mm (11 1/2''')	
Movement height	3.00 mm	
Battery	N° 371	





CALIBER / MANUFACTURER	54	RONDA 585
MOVEMENT		
FUNCTIONS	Display of hours, minutes, seconds and date	
Diameter	20.00 mm	
Movement height	3.00 mm	
Battery	N° 362	





CALIBER / MANUFACTURER	56	RONDA 714
MOVEMENT		
FUNCTIONS	Display of hours, minutes and date	
Diameter	19.95 mm (9''')	
Movement height	1.40 mm	
Battery	N° 341	



CALIBER / MANUFACTURER	57	RONDA 784
MOVEMENT		
FUNCTIONS	Display of hours, minutes and date	
Diameter	23.30 mm (10 1/2''')	
Movement height	1.40 mm	
Battery	N° 341	

CALIBER / MANUFACTURER	60	TECHNOTIME 7231
MOVEMENT		
FUNCTIONS	Display of hours, minutes, seconds and big date	
Diameter	25.60 mm (11 1/2''')	
Movement height	3.75 mm	
Battery	N° 371	

QUARTZ MOVEMENTS

CALIBER / MANUFACTURER	62	RONDA 6203.B	63	RONDA 6003	64	RONDA 6004B	70	ETA F06.111
MOVEMENT								
FUNCTIONS	Display of hours, minutes, date, second time zone		Display of hours, minutes, seconds and big date.		Display of hours, minutes, small seconds and big date.		Display of hours, minutes, seconds and date	
Diameter	25.60 mm (11 1/2''')		25.60 mm (11 1/2''')		25.60 mm (11 1/2''')		25.60 mm (11 1/2''')	
Movement height	3.30 mm		3.30 mm		3.30 mm		2.62 mm	
Battery	N° 373		N° 373		N° 371		N° 371	


CALIBER / MANUFACTURER	71	ETA F05.111	84	ETA 955.132	86	RONDA 1019	101	RONDA 5021.D
MOVEMENT								
FUNCTIONS	Display of hours, minutes, seconds and date		Display of hours, minutes, seconds, day and date		Display of hours, minutes, small seconds and date		Display of hours, minutes, seconds, date and chronograph	
Diameter	23.30 mm (10 1/2''')		25.60 mm (11 1/2''')		25.60 mm (11 1/2''')		28.00 mm (12 1/2''')	
Movement height	2.62 mm		3.12 mm		1.90 mm		4.40 mm	
Battery	N° 371		N° 371		N° 341		N° 395	

CALIBER / MANUFACTURER	103	RONDA 5030.D	104	RONDA 5040.D
MOVEMENT				
FUNCTIONS	Display of hours, minutes, seconds, date and chronograph.		Display of hours, minutes, seconds, date, chronograph	
Diameter	28.00 mm (12 1/2''')		28.00 mm (12 1/2''')	
Movement height	4.40 mm		4.40 mm	
Battery	N° 395		N° 395	



REFERENCE NUMBER SYSTEM

The following information will help you on how to handle the Edox reference number, which will give you helpful product information regarding movements, dials and cases.



CHRONORALLY
10302 37N NIN Ø 45 MM

MOVEMENT	
10	please refer to the page 149
CASE MATERIAL	
3 / 3A / 3B / 3N	Stainless steel 316L
3BUO	Stainless steel 316L with blue and orange bezel
357A / 357J	Stainless steel 316L with yellow PVD coating
357BR	Stainless steel 316L with brown PVD coating
357B	Stainless steel 316L with blue PVD coating
357BRR	Brown and pink PVD coating
357RC	Pink PVD coating on leather strap
357RM	Pink PVD coating on steel bracelet
357N	Stainless steel 316L with black PVD coating
357R	Stainless steel 316L with pink PVD coating
357RD	Stainless steel 316L with pink PVD coating, diamonds
357RN	Pink and black PVD coating
3BU	Stainless steel 316L with blue bezel
3BUM	Stainless steel 316L with blue bezel on steel bracelet
3C	Stainless steel 316L on leather strap
3CA	Stainless steel 316L on rubber strap
3M	Stainless steel 316L with steel bracelet
3NBU	Stainless steel 316L, black and blue bezel
3NCA	Stainless steel 316L, black bezel, with rubber strap
3NGCA	Stainless steel 316L, black and grey bezel, with rubber strap
3NGM	Stainless steel 316L, black and grey bezel, with steel bracelet
3NM	Stainless steel 316L, black bezel, with steel bracelet
3NOCA	Stainless steel 316L, black and orange bezel, with rubber strap
3NOM	Stainless steel 316L, black and orange bezel, with steel bracelet
3OCA	Stainless steel 316L, orange bezel, with rubber strap
3OM	Stainless steel 316L, orange bezel, with steel bracelet
3NRCA	Stainless steel 316L, black and red bezel, with rubber strap
3NRM	Stainless steel 316L, black and red bezel, with steel bracelet
3NVCA	Stainless steel 316L, black and green bezel, with rubber strap
3NVM	Stainless steel 316L, black and green bezel, with steel bracelet
3PBU	Stainless steel 316L, blue pusher
3PR	Stainless steel 316L, red pusher
37GR	Stainless steel 316L, grey and pink bezel
37GRM	Stainless steel 316L, grey and pink bezel, with steel bracelet
37J	Yellow PVD coating
37JA	Yellow PVD coating, silver ring
37JG	Yellow PVD coating, golden ring
37N	Black PVD coating
37NPN	Black PVD coating, black pusher
37R	Pink PVD coating
37RBU	Yellow PVD coating, blue bezel
37RC	Yellow PVD coating, with leather strap
37RM	Yellow PVD coating, with steel bracelet
TIN / TINR	Titanium

DIAL VARIATION	
AID / AID2	Silver / Golden indices
AIN / AIN2	Silver / Silver indices
AINO	Silver / Black indices
AIR	Silver / Pink indices
ABD	Silver / Golden Breguet numberings
ABN	Silver / Silver Breguet numberings
ABR	Silver / Pink Breguet numberings
AR	Silver / Roman numberings
BID	White / Golden indices
BIN	White / Silver indices
BIR	White / Pink indices
BRIN	Brown / Silver indices
BRIR	Brown / Pink indices
BU	Blue dial
BUIN	Blue / Silver indices
BUBN	Blue / Silver Breguet numberings
GBD	Grey / Golden Breguet numberings
GBR	Grey / Pink Breguet numberings
GID	Grey / Golden indices
GIN	Grey / Silver indices
GIR	Grey / Pink indices
NADN	Mother-of-pearl / Golden indices
NAIN	Mother-of-pearl / Silver indices
NANN	Mother-of-pearl / Black indices
NAIR	Mother-of-pearl / Pink indices
NBN	Black / Silver Breguet numberings
NBR	Black / Pink Breguet numberings
NBU	Black / Blue indices
NIO	Black / Orange indices
NID	Black / Golden indices
NIN / NIN2	Black / Silver indices
NIR	Black / Pink indices
NIRD	Black / Pink indices, diamonds
NBUR	Black / Blue and red indices
NOBU	Black / Orange and blue indices
NOJ	Black / Orange and yellow indices
NOR	Black / Orange indices
NRO	Black / Red indices
NV	Black / Green indices
ROIN	Pink / Black indices
ROIR	Pink / Pink indices
ROUIR	Red / Pink indices

10302 37N NIN

DIAL VARIATIONS

The digits and letters represent the colour and design of the dial.

10302 37N NIN



CASE MATERIAL

The digits and/or letters represent the material and surface treatment (colour) of the case. (See the table)

10302 37N NIN

MOVEMENT

The first 2 or 3 digits of these five figures represent the Edox movement code. Please refer to the page 146-151 of this catalogue.



Visit Edox at www.edox.ch



EDOX SWISS WATCHES

LA SAGNE AU DROZ
CH-2714 LES GENEVEZ
SWITZERLAND































TEL. +41 32 484 70 10 FAX. +41 32 484 70 19
INFO@EDOX.CH WWW.EDOX.CH

FACEBOOK & TWITTER

The models and product lines in this 2015-2016 catalogue are subject to change without notice. All models are subject to availability. The information provided refers to the model named, or is of a general nature. Not all watches and movements in this catalogue are shown in their actual size. The colours of the watches and movements illustrated may vary due to the printing process. No part of this brochure may be reproduced, scanned or transmitted either online or in any form without prior written permission from Edox.

Edox is a registered trademark.

PICTOGRAMS

	ENGLISH	DEUTSCH	ESPAÑOL	РУССКИЙ	日本語	POLSKI	中文	FRANÇAIS	العربية
	Bestseller	Weltweite Top-Seller	El mejor vendido a nivel mundial	Международный бестселлер	世界的ベストセラー	MIEDZYNARODOWY BESTSELLER	全球暢銷款	Meilleure vente	أفضل البيعات
	MOVEMENTS	WERK	MOVIMIENTOS	МЕХАНИЗМЫ	ムーブメント	MECHANIZM	機芯	MOUVEMENTS	مكونات الساعة
	Automatic	Automatik	Automático	Автоподзавод	オートマチック	MECHANIZM AUTOMATYCZNY	自動機芯	Automatique	أوتوماتيكية
	Manual winding	Handaufzug	Cuerda Manual	Ручной завод	手巻き	NACIAG RĘCZNY	手動上鍊	Remontage manuel	ربط يدوي
	Quartz	Quarz	Cuarzo	Кварц	クォーツ	MECHANIZM KWARCOWY	石英機芯	Quartz	كوارتز
	Chronometer	Chronometer	Cronómetro	Хронометр	クロノメーター	CHRONOMETR	天文表	Chronomètre	كرونومتر
	Exclusively developed for Edox	Exklusives Edox Kaliber	Desarrollado exclusivamente para Edox	Специально разработанные для Edox	エドックスのために特別に開発	STWORZONY WYŁĄCZNIE DLA MARKI EDOX	Edox 専用機芯	Développement exclusif pour Edox	تصميم حصري Edox لصالح
	FUNCTIONS	FUNKTIONEN	FUNCIONES	ФУНКЦИИ	機能	FUNKCJE	功能	FONCTIONS	الوظائف
	Chronograph	Chronograph	Cronógrafo	ХРОНОГРАФ	クロノグラフ	CHRONOGRAF	計時碼錶	Chronographe	كرونوغراف
	Day-date	Tag - Datum	Día - Fecha	День-дата	テイテイト	DATOWNIK	星期日曆	Jour-date	اليوم • التاريخ
	Retrograde	Retrograd	Retrógrado	Ретроград	レトログラード	FUNKCJA RETROGRADE	逆跳	Rétrograde	مؤشر عكسي
	Moon phases	Mondphase	Fases lunares	Фаза луны	ムーンフェイズ	FAZY KSIĘŻYCA	月相盈虧	Phases de lune	مرحلة القمر
	Timing functions	Zeitmessungsfunktionen	Funciones de Cronometraje	Функции хронометрирования	計測機能	ROZBUDOWANA FUNKCJA STOPERA	計時功能	Fonctions de chronométrage	وظائف التوقيت
	Big date	Grossdatum	Gran fechador	Большая дата	ビッグテイト	DUŻY DATOWNIK	日期大視窗	Grande date	تاريخ كبير
	Regulator	Regulator	Regulador	Регулятор	レギュレーター	REGULATOR	三針一線	Régulateur	مُنظّم
	GMT	GMT	GMT	GMT	GMT	DRUGA STREFA CZASOWA	兩地時間	GMT	توقيت غرينتش GMT
	Diving bezel	Taucherlünette	Bisel de buceo	Вращающийся безель	ダイビングベゼル	OBROTOWY PIERŚCIEŃ	潛水上圈	Lunette de plongée	إطار خارجي للغوص
	FEATURES	TECHNISCHE ANGABEN	CARACTERISTICAS	ОСОБЕННОСТИ	仕様	CECHY	特色	CARACTÉRISTIQUES	الميزات
	Water resistance	Wasserdicht bis xxx Meter	Resistencia al agua xxx	Водозащита до XXX м	XXXm防水	WODOSZCZELNOŚĆ DO XXX METRÓW	防水深度XXX米	Étanchéité	مقاومة للماء
	Ultra Slim world record	Ultra Slim Weltrekord	Record mundial Ultra-Plano	Ультратонкие мировой рекорд	ウルトラスリム ワールドレコード	ULTRA-SLIM WORLD RECORD	世界超薄	Record du monde Ultra Slim	رقم قياس عالمي في المحافة الفائقة
	Luminescent hands and/or indices	Mit Leuchtstoff beschichtete Zeiger / Indizes	Manecillas y/o índices luminiscentes	Люминесцентные стрелки и/или индексы	夜光針もしくは夜光インデックス	LUMINESCENCYJNE WSKAZÓWKI I/LUB INDEKSY	夜光指針及或刻度	Aiguilles et/ou index luminescents	عقارب و / أو مؤشرات مضيئة
	Sapphire crystal	Saphirglas	Cristal zafiro	Сапфировое стекло	サファイヤガラス	SZKŁO SZAFIROWE	藍寶石水晶	Verre saphir	زجاج كريستال صفيري
	Transparent caseback	Transparenter Gehäuseboden	Fondo de caja transparente	Прозрачная задняя крышка корпуса	シースルーケースバック	TRANSPARENTNY DEKIEL	可透視錶背	Fond transparent	الوجه الخلفي للساعة بشفاف
	Edox crown and/or pusher with double O'ring	Krone und/oder Drücker mit doppeltem O'ring	Corona y/o pulsador Edox con doble sello	Заводной ключ и/или кнопки Edox с двойным уплотнением	ダブルOリング付き EDOX リュズ	PODWÓJNA USZCZELKA KORONKI I/LUB PRZYCIŚKI	Edox雙防水圈錶冠/按鈕	Couronne et/ou poussoir avec double joint O'ring	ناح مع وحدة إقفال مزدوجة
	Helium valve	Heliumventil	Válvula de helio	Гелиевый клапан	ヘリウムバルブ	ZAWÓR HELOWY	排氦氣閥	Valve à hélium	صمام هيليوم
	Screw-down crown	Sicherheitsschraubkrone	Corona de seguridad enroscable	Закручивающаяся защитная коронка	ネジ込み式リュズ	ZAKRĘCANA KORONKA	旋緊式安全表冠	Couronne vissée	زجاج مشدود
	Weight	Gewicht	Peso	Вес	重量	WAGA	重量	Poids	الوزن
	Horn-gap	Bandbreite	Ancho de pulso	Расстояние между ушками	ラグ幅	ROZSTAW USZU KOPERTY	錶帶頭銜接處	Entre-corne	المتشيك
	Case height	Gehäusehöhe	Espesor del reloj	Толщина корпуса	ケースの厚さ	WYSOKOŚĆ KOPERTY	錶殼高度	Hauteur de boîte	ارتفاع العلبة
	MATERIAL	MATERIAL	MATERIAL	МАТЕРИАЛ	素材	MATERIAŁ	材質	MATERIAU	المادة
	Stainless steel	Rostfreier Edelstahl	Acero inoxidable	Нержавеющая сталь	ステンレススティール	STAL	不銹鋼	Acier inoxydable	فولاذ غير قابل للصدأ
	Titanium	Titan	Titanio	Титан	チタニウム	TYTAN	鈦合金	Titane	تيتان
	PVD	PVD	PVD	покрытие	PVD	PVD	PVD	PVD	طلاء PVD
	Genuine diamonds	Diamanten	Diamantes Genuinos	Бриллианты	ダイヤモンド	DIAMENTY	鑽石	Diamants véritables	ألماس حقيقي



Maître Horloger - Les Genevez
depuis 1884